

# IVET-D 16A 3.5kW multi tap



Artículo nº: 86060351

The Mastervolt IVET-D toroidal isolation transformer is supplied as a 3.5 kW/16 A version for 220-240 V. Multi-tap version for both 230V/50Hz and 120V/60Hz shore voltage.

Supplied in a compact robust box with a double pole circuit breaker on the AC outlet, which guarantees optimum safety. The build-in Soft Start suppresses the inrush current from the transformer and prevents the shore power fuse from blowing.

The convenient connection compartment features professional connection terminals. All Mastervolt isolation transformers comply with the CE and ABYC (US norm) guidelines.

# Especificaciones

## Especificaciones generales

Tensión de salida ( $\pm 5\%$ )	220-240 V / adjustable 110-120
Rango de frecuencia de salida	45-65 Hz
Gama de tensión de entrada	220-240 V / adjustable 110-120 V
Rango de frecuencia de entrada	45-65 Hz
Corriente de entrada nominal (230 V)	16 A
Eficiencia	> 93 %
Potencia	3500 W
Dimensiones, alxanxpr	407 x 295 x 220 mm 16,0 x 11,6 x 8,7 pulgadas
Peso	23 kg 50,7 libras

## Especificaciones técnicas

Tecnología	toroidal
Protección diferencial	no
Consumo de potencia sin carga	< 10 W
Rango de temperatura (temp. ambiente)	0-40 °C, reducción de potencia > 40 °C °C 32 a 32 °F
Refrigeración	refrigeración natural, forced cooling > 80 °C
Apagado a	120 °C
Humedad relativa	max. 95%
Grado de protección	IP23
Apagado de disyuntor	B-característica B
Soft Start	sí
Compatible con MasterBus	no